

JAN-15-2004 09:16

ARTZ ARTZ LAW OFFICES

248 223-9522
RECEIVED
CENTRAL FAX CENTER

ARTZ & ARTZ P.C.
Law Offices

JAN 15 2004

Intellectual Property and Technology Related Causes

FACSIMILE TRANSMITTAL SHEET

OFFICIAL

Fax: (248) 223-9522
Phone: (248) 223-9500

TO: Examiner Timothy J. Dole
FIRM: USPTO
FAX NO.: (703) 872-9306

From: Kevin G. Mierzwa
Date: January 14, 2004
Our File No.: 201-0006 (PGT-1519 PA)
your Ref. No.: 09/682,742
Comments: Attached is response to the Office Action dated
10/16/03.

Total Pages (incl. Cover sheet): 8

The information contained in this facsimile message may be confidential and/or legally privileged information intended only for the use of the individual or entity named above. If the reader of this message is not the intended recipient, you are hereby notified that any copying, dissemination or distribution of confidential or privileged information is strictly prohibited. If you have received this communication in error, please immediately notify us by telephone, and we will arrange for the return of the facsimile. Thank you.

If there are any problems during transmission, please call:
(248) 223-9500.

Donna Kraft
(Operator)

28333 TELEGRAPH ROAD, SUITE 250, SOUTHFIELD, MICHIGAN 48034
TELEPHONE: (313) 223-9500 -- FACSIMILE: (248) 223-9522

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED
CENTRAL FAX CENTER

JAN 15 2004

In re Application of:

Alex David Colvin, et al.

Serial No.: 09/682,742

Group Art Unit: 2858

Filed: October 12, 2001

Examiner: Dole, Timothy J.

Title: CONDUCTIVITY SENSOR FOR DETECTING CONDUCTIVITY
OF A FLUID

Atty. Docket No.: 201-0006 (FGT 1519 PA)

OFFICIAL

I hereby certify that this correspondence is, on the date shown below, being transmitted by
facsimile to (703) 872-9306 (Centralized Facsimile Number).

1/14/04Donna Kraft

Signature

Date of Deposit

AMENDMENT UNDER 37 CFR §1.111

Mail Stop Non-Fee Amendment
Commissioner of Patents
P. O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

In response to the Office Action dated October 16, 2003, please
enter the following amendments and remarks.

BEST AVAILABLE COPY